

VERSA DESIGNED SURFACES SPEC LETTER

Versa Designed Surfaces, domiciled at New Albany, Indiana USA, herewith certifies that the wallcovering products named herein are wholly manufactured at its manufacturing facilities in the USA, of the highest quality materials, with adherence to strict standards of quality control.

Versa Designed Surfaces pattern(s):

Installation:

The named products meet the following Performance and Fire Hazard Classifications:

PERFORMANCE SPECIFICATIONS	
Total Weight	20 OZ/LY (452 g/m ²)
Width	52-54" (132-137 cm)
Fabric	Osnaburg
Breaking Strength	50x55 lb _f
Tearing Strength	25x25 Scale Rating

FIRE HAZARD CLASSIFICATION (ASTM-E84)*	
Flame Spread	5
Smoke Density Factor	30

ADDITIONAL FIRE HAZARD INFORMATION	
ASTM-E84	Class A*
NFPA 101 Life Safety Code	Compliant
NFPA 286 Corner Burn	Pass
CAN/ULC S102	Compliant*

ENVIRONMENTAL & HEALTH INFORMATION
Meets State of Washington Building Specification for Indoor Air Quality
Meets California Section 01350 Indoor Air Quality Standard
NSF 342 Manufacturer Certified
Highly cleanable water-based inks
Antimicrobial additives

*Tested on GRC Board

5 YEARS WARRANTY AGAINST DEFECTS IN WORKSMANSHIP AND MATERIAL

For and on behalf of Versa Designed Surfaces

Vicki Schweitzer

VERSA[®]
DESIGNED SURFACES